


Este reporte contiene información muy importante sobre su agua beber. Tradúzcalo o hable con alguien que lo entienda bien.

Standard Rate U.S.  
Postage Paid  
Boulder Creek, CA  
95006  
Permit No. 55

San Lorenzo Valley Water District  
13060 Highway 9  
Boulder Creek, CA. 95006-9119

San Lorenzo Valley Water District  
Annual Rainfall History Graph





# San Lorenzo Valley Water District

## Consumer Confidence Report

### Southern Distribution System

WATER QUALITY 2010

JUNE 2011

## Your Water Passes All Tests

Once again, the San Lorenzo Valley Water District is pleased to report that our water quality met or surpassed all State and Federal criteria for public health protection. For additional information regarding water quality, please contact the San Lorenzo Valley Water District's Director of Operations, Rick Rogers, at (831) 430-4624 or e-mail to [rogers@slvwd.com](mailto:rogers@slvwd.com).

## Sources of Water

The sources of drinking water (both tap and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals including radioactive material and other substances resulting from the presence of animals or from human activity.

## Where Does Your Water Come From?

All water comes in the form of precipitation. Surface water accumulates mainly as a result of direct runoff from precipitation in the form of streams. Part of the precipitation that falls infiltrates the soil. Water drains downward (percolates) below the soil surface reaching a level at which all of the openings or voids in the ground are filled with water. This zone of saturation is referred to as groundwater. The District utilizes groundwater sources located from within the Southern Distribution system. All wells conform to State construction standards.

## Public Involvement

The Board of Directors of the San Lorenzo Valley Water District invites you to attend its meetings to express your views and opinions. The Board meets on the 1st and 3rd Thursday of each month. Meetings start at 7:30 p.m. at the District's Operations Building, 13057 Highway 9, Boulder Creek. Agenda information for the Board of Director's meetings can be obtained from the District by calling 831-430-4636 or our website [www.slvwd.com](http://www.slvwd.com).

**In an effort to provide this report to everyone, the District encourages landlords to provide a copy of this report to their tenants.**

## Water Quality

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (USEPA) and State Department of Health Services (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (800-426-4791) or on the web at [www.epa.gov/safewater](http://www.epa.gov/safewater).

*"Our mission is to provide our customers and all future generations with reliable, safe and high quality water at an equitable price; to create and maintain outstanding customer service; to manage and protect the environmental health of the aquifers and watersheds; and, to ensure the fiscal vitality of the San Lorenzo Valley Water District."*

---

---

## Is the Water Safe for Everyone to Drink?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care providers about drinking water. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline 800-426-4791 or on the web at <http://www.epa.gov/safewater>.

### Possible Contaminants

Contaminants that may be in the water prior to treatment may include:

**Microbial Contaminants**, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.

**Inorganic Contaminants**, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.

**Pesticides and Herbicides**, that may come from a variety of sources such as agricultural, urban stormwater runoff, and residential uses.

**Organic Chemical Contaminants**, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.

### State Standards and Monitoring

Individual water suppliers do not arbitrarily decide what constitutes “safe” drinking water. The U.S. Environmental Protection Agency and the California State Department of Public Health require all public water suppliers to meet stringent quality standards. Compliance is mandatory for public water utilities.

In California, drinking water standards (also called Maximum Contaminant Levels, or MCLs) are established for two categories. Primary Standards are set for the protection of public health. Secondary Standards are set only for aesthetic qualities

such as taste, odor and color, but do not represent any threat to health.

The District maintains a monitoring program to sample and test all water sources in accordance with State and Federal standards. Should the District fail to monitor, or the District’s water exceed the MCLs allowable in the Primary Standards, it is required by law to notify all customers of the nature of the problem and any possible health effects. Some contaminants that are routinely monitored by the District are bacteria, turbidity, inorganic chemicals, metals, general minerals, volatile organic chemicals (VOCs), disinfection by-products (THMs), and radiation.

The table on the next page shows our test results for 2010. Once again, the San Lorenzo Valley Water District is pleased to report that our water quality met or surpassed all State and Federal criteria for public health protection. For additional information regarding water quality, please contact the San Lorenzo Valley Water District at (831) 338-2153.

### Notice About Arsenic

Arsenic above 5ppb up through 10 ppb: While your drinking water meets the current standard for arsenic, it does contain low levels of arsenic. The standard balances the current understanding of arsenic’s possible health effects against the costs of removing arsenic from drinking water. The California Department of Public Health continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems. Arsenic above 10 ppb up through 50 ppb: Some people who drink water containing arsenic in excess of the MCL over many years could experience skin damage or problems with their circulatory system, and may have an increased risk of getting cancer.

### Source Water Assessments

In 2002 the District completed source water assessments of its Lompico Sandstone Aquifer. A source water assessment lists possible contaminating activities and the susceptibility of identified contamination threats that might affect the quality of our drinking water supplies.

Factors contributing to the potential vulnerability of the Lompico Sandstone Aquifer to water-quality degradation include: a strong downward vertical gradient between the upper, unconfined Santa Margarita Sandstone Aquifer and the deeper Lompico Sandstone Aquifer, residential leach-fields, sewer lines, fuel storage and potential spills associated with area roadways.

---

## How to Read Your Water Meter

One of your best conservation tools is your water meter. It is normally located on the road shoulder in front of your home, housed in a concrete box. If you have trouble locating your water meter contact the District for a better location of your meter. Reading the meter is similar to reading a car odometer. The meter measures volume of water in cubic feet. The first digit on the right represents one cubic foot, the second from the right represents 10 cubic feet, the third from the right represents 100 cubic feet, and so forth. The sweep hand registers fractions of a cubic foot. One cubic foot is equal to 7.48 gallons of water. Your water bill is based on how many hundred cubic feet you use over a one- or two-month billing period. One hundred cubic feet (also referred to as a billing "unit" or "ccf") equals 748 gallons.

## Using Your Water Meter to Check for Leaks

1. It's good preventive maintenance to conduct a leak check of your house periodically.
2. Start by firmly turning off all water devices inside and outside the house.
3. Next, go outside to the meter and mark down the reading, including the red flow detection indicator.
4. Wait 15 minutes and then check the meter again.

If the meter has not moved, your house is leak free. If the meter has moved, you have a leak to hunt down. The most likely cause is a leaking toilet. Most meters also have a triangular low-flow indicator, which should not be spinning unless a leak is present. To avoid receiving a surprisingly high water bill caused by an undetected leak, we suggest you check your meter regularly.



---

## Lead in Your Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. San Lorenzo Valley Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components.

When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

The San Lorenzo Valley Water District monitors for lead and copper at the customer's tap throughout the District on a regular basis in accordance with the USEPA's Lead and Copper Rule regulations. The rule requires public water systems to sample at customer's homes that meet specific criteria where elevated levels of lead and copper are more likely to be found. Since 1993 samples have shown levels of lead and copper in District homes to be well below the action levels set by the USEPA. See the enclosed water quality table for test results from the latest round of sampling.

## Water Conservation Rebate Program

The District announces a new water conservation credit program. This program offers qualifying District customers the opportunity to earn credits to your District account. The program offers several new landscaping credits. These credit options encourage District customers to save both water and money. The District's new program offers the following credit options:

- High Efficiency Clothes Washer Credit
- Drip Irrigation System Conversion Credit
- Weather-Based Irrigation Controller Credit
- Lawn Replacement Credit: Water-Wise Grass
- Lawn Replacement: Synthetic Grass

**Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a disinfectant added for water treatment below which there is no known or expected risk to health. MRDLG's are set by the U.S. Environmental Protection Agency

**Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's are set by the U.S. Environmental Protection Agency.

**Primary Drinking Water Standards (PDWS):** MCL's and MRDL's are for contaminants that effect health along with their monitoring and reporting requirements, and water treatment requirements.

**Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. Primary MCL's are set as close to the PHG's or (MCLG's) as is economically and technologically feasible. Secondary MCL's are set to protect the odor, taste and appearance of drinking water.

**Regulatory Action Level (AL):** The concentration of a contaminant which, when exceeded, triggers treatment or other requirements that a water system must follow.

**Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHG's are set by the California Environmental Protection Agency.

**N.D.:** Not Detectable at testing limit

**NTU:** Nephelometric Turbidity Units

**ppb:** Parts per billion or micrograms per liter

**ppm:** Parts per million or milligrams per liter

**CU:** Color Units

**P/A:** Presence /Absence

**N/A:** Not Applicable

**pCi/L:** Picocuries per liter


**Notes: 1)** The State allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. **2)** District Pasatiempo Well 6 periodically exceed the Secondary Maximum Contaminant Level (MCL) for Iron. Secondary MCL's are set for asthetic reasons only, and do not cause adverse health effects. Iron can cause discolored water and staining. To offset this effect, the District adds phosphate, which acts to keep the Iron in solution and help prevent problems associated with this mineral.

Dear Customer

Effective May 01, 2011 the Board of Directors rescinded Phase 1, voluntary conservation, of the District's Water Conservation Program, approving "no water use restrictions". Although water use restrictions are not in place, customers need to remember that our water supplies are limited, and it is important that everyone uses water effeciently.

Water Smart Gardening in Santa Cruz County – Free Online Gardening Tool for Our Diverse Local Climate visit <http://www.santacruz.watersavingplants.com>

- View beautiful local gardens for design ideas
- Use interactive tools to design your garden
- Evaluate hundreds of plant species and make a plant list
- Learn how to reduce landscape water use
- Prevent and solve pest problems with less-toxic methods



**SAN LORENZO VALLEY WATER DISTRICT**  
**WATER QUALITY ANALYSIS FOR 2010**  
**Southern Distribution System - Scotts Valley**



**GROUNDWATER**

<b>PRIMARY STANDARDS</b>	Meas.	MCL	PHG (MCLG)	SLVWD Range of Detection	SLVWD Water Average	Sample Date	Notes	Source
Arsenic	ppb	10	N/A	1.1 - 9.5	5.8	2010		Erosion of natural deposits.
Fluoride	ppb	2000	1000	60 - 71	66	2009	(1)	Erosion of natural deposits.
Nitrate	ppm	45	45	< 0.5 - 0.86	0.43	2010		Runoff / leaching from natural deposits.
<b>SECONDARY STANDARDS</b>	Meas.	MCL	PHG (MCLG)	SLVWD Range of Detection	SLVWD Water Average	Sample Date		Source
Chloride	ppm	500	N/A	7.8 - 8.1	7.9	2009	(1)	Runoff / leaching from natural deposits.
Color	CU	15	N/A	< 3 - 4	< 3	2010		Natural occurring organic material
Iron	ppb	300	N/A	290 - 460	358	2010	(2)	Leaching from natural deposits.
Manganese	ppb	50	N/A	11 - 30	21	2009	(1)	Leaching from natural deposits.
Sulfate	ppm	500	N/A	7.5 - 28	18	2009	(1)	Runoff / leaching from natural deposits.
Total Dissolved Solids	ppm	1000	N/A	120 - 150	135	2009	(1)	Runoff / leaching from natural deposits.
Turbidity	NTU	5	N/A	0.59 - 0.62	0.6	2010		Soil runoff
<b>ADDITIONAL CONSTITUENTS ANALYZED</b>								
Radium 228	pCi/L	5	0	N.D. - 2.4	0.54	2006	(1)	Erosion of natural deposits.
Sodium	ppm	N/A	N/A	15 - 16	15.5	2009	(1)	Refers to the salt present in the water and is generally naturally occurring.
Ph	Ph Scale	N/A	N/A	7.0 - 7.4	7.2	2010		A measure of the acidity or alkalinity
Total Hardness	ppm	N/A	N/A	30 - 50	44	2009	(1)	Hardness is the sum of polyvalent cations present in the water, generally magnesium and calcium. The cations are usually naturally occurring
Total Phosphate	ppm	N/A	N/A	0.83 - 6.1	4	2010	(2)	Treatment additive
<b>DISINFECTION RESIDUAL</b>	Meas.	MRDL	MRDLG	SLVWD Range of Detection	SLVWD Water Average	Sample Date		Source
Free Chlorine	ppm	4	4	0.23 - 0.85	0.58	2010		Drinking water disinfectant added for treatment.
<b>DISINFECTION BY-PRODUCTS</b>	Meas.	MCL	PHG (MCLG)	SLVWD Range of Detection	SLVWD Water Average	Sample Date		Source
TTHM (Total Trihalomethanes)	ppb	80	N/A	1.3 - 3.4	2.4	2010		By-product of drinking water disinfection.
<b>PRIMARY STANDARDS REGULATED AT TAP</b>	Meas.	AL	PHG (MCLG)	Number of Samples Collected	Tap Water 90th Percentile Results	Sample Date		Source
Lead	ppb	15	0.2	4	90th Percentile = 0.70 Number of sites above AL = 0	2008	(1)	Corrosion of household plumbing, discharges from industrial manufacturers, erosion of natural deposits
Copper	ppb	1300	170	4	90th Percentile = 220 Number of sites above AL = 0	2008	(1)	Corrosion of household plumbing, erosion of natural deposits, leaching from wood preservatives