## M E M O

TO: Board of Directors

FROM: District Manager

DATE: April 7, 2006

SUBJECT: Water Conservation Credit Programs Status Report

January 1, 2006 – March 31, 2006

## **RECOMMENDATION:**

It is recommended that the Board of Directors review and file this memo regarding the Water Conservation Credit Programs for the period January 1, 2006-March 31, 2006.

## BACKGROUND:

At the March 6, 2003 Board of Director's meeting, your Board approved Resolution No. 27 (02-03) which implemented Water Conservation Credit Programs for the following:

- A rebate credit, applied to the customer's water bill, of actual purchase not to exceed a maximum of \$100.00 per fixture, for the replacement of an existing conventional high-volume toilet (3.5+ gpf) with an ultra-low flow toilet (ULF) (1.6 gpf); and
- A rebate credit, applied to the customer's water bill, of actual purchase not to exceed a maximum of \$100.00 per appliance, for the purchase and installation of a high-efficiency clothes washer (HECW).

During the period January 1, 2006-March 31, 2006, District staff has processed 14 rebate credits for the purchase and installation of ultra-low flow toilets in the amount of \$1,360.21 and 39 rebate credits for the purchase and installation of high efficiency clothes washers in the amount of \$3,900.00. A total of 116 rebate credits (35 ULF's in the amount of \$3,429.77 and 81 HECW's in the amount of \$8100.00) in the amount of \$11,529.77 have been processed for Fiscal Year 2005/2006.

Estimated water savings associated with the Water Conservation Credit Program are based upon the following:

High Efficiency Washing Machines assume average estimated annual savings of 5,100 gallons/year per replacement of a low-efficiency clothes washer with a high-efficiency washer.

Low-flush toilet estimated water use savings for the installation of a low-flush toilet is dependant on specific household demographics. Assumptions utilized for estimated savings are as follows:

- 2.64 average persons per household
- Manufacture date of toilet being replaced; 1980-1994
- 4.0 gallons per flush (gpf)

Utilizing these assumptions, the annual savings for the installation of a residential low-flush toilet range between 4,468-11,794 gallons/year per toilet. Average estimated annual savings of 8,130/year per toilet.

It is recommended that the Board of Directors review and file this memo regarding the Water Conservation Credit Programs for the period January 1, 2006-March 31, 2006.

James Mueller District Manager

JAM/clt

## WATER CONSERVATION CREDIT PROGRAM SUMMARY

<u>PERIOD</u>	ULFT <u>ADJUSTMENTS</u>	ULFT CREDIT <u>AMOUNT</u>	CW <u>ADJUSTMENTS</u>	CW CREDIT AMOUNT	QUARTER TOTALS	
04/01/2003-08/31/2003 Debit on Account #820264000	58 1	5,392.85 -11.13	46	4,600.00	9,981.72	
09/01/2003-12/31/2003	31	3,100.00	29	2,900.00	6,000.00	
01/01/2004-03/31/2004	14	1,400.00	26	2,600.00	4,000.00	
04/01/2004-06/30/2004	14	1,324.26	28	2,800.00	4,124.26	
07/01/2004-09/30/2004	10	1,000.00	33	3,300.00	4,300.00	
10/01/2004-12/31/2004	13	1,274.70	28	2,800.00	4,074.70	
01/01/2005-03/31/2005	17	1,700.00	36	3,600.00	5,300.00	
04/01/2005-06/30/2005	9	900.00	21	2,100.00	3,000.00	
07/01/2005-09/30/2005	13	1,274.52	16	1,600.00	2,874.52	
10/01/2005-12/31/2005	8	795.04	26	2,600.00	3,395.04	
01/01/2006-03/31/2006 <b>TOTAL</b>	14 <b>202</b>	1,360.21 <b>19,510.45</b>	39 <b>328</b>	3,900.00 <b>32,800.00</b>	5,260.21 <b>52,310.45</b>	530